

KÄRCHER

makes a difference



THE SANITARY CHOICE THAT LASTS.

This upright vacuum costs less, cleans your air and will outlast the competition.

The sanitary choice that lasts.

Many of our competitors sell low-cost upright vacuums, the only problem is that they fall apart quickly and then you are left with another broken vac to toss in the dump. If you are tired of throwing away your money then consider our CV 300 & CV 380 upright vacuums. The CV 300 and CV 380 provide power, reliability, and clean air quality all for a price that will not break the bank. This model features a traditional non-steerable joint between the base and the body for ergonomics and all-day usability. Equipped with a HEPA quality three-step filtration system, which results in 99.9% effectiveness to 0.3 microns, making it the perfect choice in dust sensitive areas.



1 Sturdy and robust

- Robust non-steerable joint between base and body provides better ergonomics for all-day use.
- Built to last for years. The reliable, affordable choice for dual-motor upright vacs.
- Lower total cost of ownership
- Deep cleaning two-motor vacuuming power

2 Breathe easier

- High quality three step filtration for optimum air quality
- CRI approved for cleaner, healthier carpets
- S-Class 3-step Filtration System with HEPA filtration for improved indoor air quality

3 Simple to use and maintain

- No tool brush removal
- Convenient top-load dust bag
- Lightweight and easy to maneuver through tight spaces

4 Flexibility to get the job done

- Detachable hose for quick and easy detail vacuuming
- Optional accessory tools make the CV 300 & CV 380 versatile to tackle any job.
- Upper canister detaches for easy above the floor cleaning.

5 Communication is key

- Indicator lights alert operator to shut down or blockage.
- Vacuum will stop if something gets clogged in the brush.

Technical data and equipment.



CV 300



CV 380

TECHNICAL SPECIFICATIONS

Cleaning path	in	12	15
Productivity (practical)	ft ² /hr	3,104	3,881
Power cord length	ft	40	40
Operating noise level	dBa	69.5	70
Air flow rate	cfm	102	102
Voltage	110v/220v	110V	110V
Motor	hp	0.24	0.24
Debris bag size	qt	3.7	3.7
Dimensions (LxWxH)	in	11 x 12 x 48	11 x 15 x 48
Weight	lbs	17	17

EQUIPMENT

Order No.	Description
1.012-059.0	CV 300, 120V/60 Hz
1.012-060.0	CV 380, 120V/60 Hz

ACCESSORIES

Order No.	Description
<input type="checkbox"/> 8.600-495.0	12-Inch replacement double row brush
<input type="checkbox"/> 8.613-849.0	15-Inch replacement double row brush
<input type="checkbox"/> 8.628-479.0	3-Ply filter dust bags, 10-pack
<input checked="" type="checkbox"/> 8.632-214.0	Filter, exhaust
<input type="checkbox"/> 8.633-398.0	Filter bag, package of 10
<input checked="" type="checkbox"/> 8.628-477.0	Filter, motor protection
<input checked="" type="checkbox"/> 8.630-933.0	Vacuum fan exhaust filter
<input type="checkbox"/> 8.634-975.0	Tool, 20" extension tool
<input type="checkbox"/> 8.632-244.0	Tool, clips for tools, dark gray
<input type="checkbox"/> 8.632-245.0	Tool, crevice tool, dark gray
<input type="checkbox"/> 8.614-100.0	Dusting brush, dark gray
<input type="checkbox"/> 8.614-629.0	Upholstery nozzle, dark gray
<input type="checkbox"/> 8.604-147.0	Vacuum tools kit (crevice nozzle, upholstery nozzle, and mounting clip)

■ Included □ Optional

Please contact us for more information:

Kärcher North America

6398 N. Kärcher Way
Aurora, CO 80019
U.S.A.

Phone 800-456-6649
Fax 303-738-2818

www.karcher.com/us



633 N Helena St, Spokane, WA 99202
509.535.1555 | info@northstardirect.com

1210 N Oregon Ave, Pasco, WA 99301
509.547.2323 | info@northstarhotsy.com